

INDUSTRIAL POWER & CONTROL CABLES List Price No. 02 (25-26) Dated 1st March 2025

1100V Grade, ALUMINIUM XLPE Armoured Cables, As per IS-7098 (Part-I) – [A2XWY/A2XFY]						1100V Grade, COPPER XLPE Armoured Cables, As per IS-7098 (Part-I) – [2XWY/2XFY]						
SQMM	Rate Per MTR					Cores	Rate Per MTR					
	1C	2C	3C	3.5C	4C		1.5	2.5	4	6	10	16
4	-	155	172	-	196	2	191	255	374	508	776	1136
6	-	182	203	-	234	3	232	330	494	680	1071	1600
10	-	234	261	-	312	4	288	412	626	881	1391	2081
16	-	268	292	-	368	5	368	533	SQMM	Armoured [2XWY]		
25	203	291	394	464	505	6	425	628		3C	3.5C	4C
35	250	368	505	584	652	7	474	708	25	2544	3073	3375
50	319	484	670	769	872	10	652	948	35	3512	4048	4663
70	405	642	903	1040	1174	12	755	1112	50	4965	5781	6610
95	494	824	1164	1352	1507	14	868	1291	70	6914	8052	9188
120	590	1009	1435	1703	1878	16	937	1463	95	9318	10949	12401
150	704	1229	1772	1960	2314	19	1099	1710	120	11739	14011	15618
185	852	1497	2163	2520	2840	24	1370	2145	150	14654	16916	19498
240	1058	1885	2747	3172	3598	27	1517	2387	185	18049	21122	24020
300	1284	2314	3378	3921	4447	30	1676	2640	240	23330	27203	31075
400	1658	3025	4398	5091	5823	37	2032	3227	300	29118	33983	38831

HT CABLES List Price No. 02 (25-26) Dated 1st March 2025

1 Core ALUMINIUM Flat Armoured Cables						1 Core ALUMINIUM Round Armoured Cables					
SQMM	6.6kV (E)/ 3.3kV (UE)	6.6kV (UE)/ 11kV (E)	11 kV (E)	22 kV (E)	33 kV (E)	SQMM	6.6kV (E)/ 3.3kV (UE)	6.6kV (UE)/ 11kV (E)	11 kV (E)	22 kV (E)	33 kV (E)
240	1398	1460	1666	1717	2060	240	1620	1692	1936	1988	2379
300	1651	1707	1926	1978	2341	300	1892	1947	2207	2269	2836
400	2100	2122	2372	2431	2799	400	2314	2345	2630	2685	3289
500	2506	2527	2791	2843	3237	500	2781	2808	3265	3337	3787
630	3025	3039	3314	3375	3808	630	3371	3378	3873	3938	4429

3 Core ALUMINIUM Flat Armoured Cables [A2XCEFY]						3 Core ALUMINIUM Round Armoured Cables [A2XCEWY]					
SQMM	6.6kV (E)/ 3.3kV (UE)	6.6kV (UE)/ 11kV (E)	11 kV (E)	22 kV (E)	33 kV (E)	SQMM	6.6kV (E)/ 3.3kV (UE)	6.6kV (UE)/ 11kV (E)	11 kV (E)	22 kV (E)	33 kV (E)
95	2139	2318	2853	2997	3873	95	2482	2685	3492	3664	4666
120	2459	2630	3203	3317	4220	120	2802	2987	3842	3999	5418
150	2850	3007	3623	3746	4720	150	3211	3440	4285	4453	5912
185	3849	3464	4055	4185	5194	185	3649	4069	4741	4900	6386
240	3969	4192	4803	4947	5987	240	4601	4854	5562	6105	7285
300	4725	4889	5555	5786	6767	300	5400	5600	6719	6911	8127

For HT/LT Above FRLS Cable Loading Add 5% Extra

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI – WIRES & CABLES"

TERMS : (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S

INDUSTRIAL SINGLE & MULTISTRAND FLEXIBLE CABLES (Dated 3RD July 2025)
1100V Single Core PVC Insulated Unsheathed Industrial Bare Conductor Flexible Cables, Conforms to IS:694-2010 / IS 7048 (100 MTR Coil Rate) – FR / HRFR / FRLSH / HFFR (ZHFR)

SQMM	NO./DIA MM	AMPs	SINGLE CORE				SQMM	NO./DIA MM	AMPs	SINGLE CORE			
			FR	HRFR	FRLSH	HFFR (ZHFR)				FR	HRFR	FRLSH	HFFR (ZHFR)
0.50	16/0.20	4	1360	1452	1452	1483	35	276/0.4	110	84563	87066	87447	87921
0.75	24/0.20	7	1885	2019	2019	2060	50	396/0.4	145	121241	124857	125330	126010
1.00	32/0.20	12	2482	2647	2647	2699	70	354/0.5	200	171639	176583	177170	177943
1.50	30/0.25	16	3749	3955	3955	4017	95	484/0.5	235	226404	232945	233676	234696
2.50	50/0.25	22	6087	6396	6396	6489	120	608/0.5	270	289265	297454	298298	299431
4	56/0.25	29	9043	9445	9445	9558	150	750/0.5	310	361715	371974	373045	374487
6	84/0.30	37	13823	14379	14379	14513	185	925/0.5	360	438080	450553	451830	453591
10	80/0.40	51	24720	25523	25699	25925	240	1210/0.5	425	579942	596452	598245	600645
16	126/0.40	68	38707	39954	40180	40479	300	1527/0.5	490	723029	743330	745257	747873
25	196/0.40	86	60286	62161	62470	62892	400	2036/0.5	590	966377	993281	995670	998904

Note:

- FR / FRLSH & HFFR (ZHFR) Wires up to 6 SQMM are supplied in standard lengths of 300M & 200M Coils packed in Master Cartons
- Single Core 10 SQMM and Above available in coil packing.

1100V Multistrand PVC Insulated & Sheathed with Bare Conductor Flexible Cables, Conforms to IS:694-2010 (100 MTR Coil Rate)
FR

SQMM	NO./DIA MM	2C	3C	4C	5C	6C	7C	10C	12C	14C	16C	19C	24C
0.50	16/0.2	3657	5129	6510	8693	9950	11217	16933	19560	22629	25637	29932	38192
0.75	24/0.2	5047	6767	8776	11999	13411	15223	22918	26461	30684	34814	40819	52015
1.00	32/0.2	6170	8549	11155	14255	17180	19374	28819	33949	39398	44754	52056	66342
1.50	30/0.25	8405	11999	15708	19982	24030	27460	40077	47617	55280	62892	74036	94276
2.50	50/0.25	13689	19652	25812	32394	38955	44651	65014	77343	89888	102372	120706	153666
4	56/0.3	22001	31765	41900	52798	63469	72955	105946	126113	146579	167107	197503	251351
6	84/0.3	32177	46793	61924	77425	---	---	---	---	---	---	---	---
10	80/0.4	54157	79001	104648	131325	---	---	---	---	---	---	---	---
16	126/0.4	83760	122611	162565	Note: - All Cables are readily available in 100 MTR Coil. - Cut Length Charges will be extra @ 1% on Basic Value. - For Drum Requirements kindly mentioned in your inquiry. Drum of 500/1000 MTRs.								
25	196/0.4	---	186615	248271									
35	276/0.4	---	260992	347285									
50	396/0.4	---	373406	496996									
70	354/0.5	---	527484	702223									
95	484/0.5	---	---	928174									
120	608/0.5	---	---	---									
150	750/0.5	---	---	---									
185	925/0.5	---	---	---									
240	1210/0.5	---	---	---									
300	1527/0.5	---	---	---									

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI – WIRES & CABLES"
TERMS : (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S

1100V Multistrand PVC Insulated & Sheathed with Bare Conductor Flexible Cables, Conforms to IS:694-2010 (100 MTR Coil Rate)
FRLS

SQMM	NO./DIA MM	2C	3C	4C	5C	6C	7C	10C	12C	14C	16C	19C	24C
0.50	16/0.2	4099	5593	6819	9352	10537	11721	18252	20590	23742	26790	31096	39840
0.75	24/0.2	5438	7406	9548	12999	14616	16367	24308	28665	33125	37482	43713	55919
1.00	32/0.2	6644	9177	11927	15234	18550	20878	30890	36483	42209	47874	55929	71554
1.50	30/0.25	9156	12854	16748	21558	25946	29407	43270	51212	59307	67383	79001	100940
2.50	50/0.25	14884	21610	27419	34618	41674	47432	69618	82503	95687	108830	127895	163440
4	56/0.3	23711	33691	44156	55074	66291	66291	108871	131284	147910	173452	204558	261218
6	84/0.3	34474	49337	65086	81411	---	---	---	---	---	---	---	---
10	80/0.4	57618	82956	109571	137711	---	---	---	---	---	---	---	---
16	126/0.4	88642	128297	169662	Note: - All Cables are readily available in 100 MTR Coil. - Cut Length Charges will be extra @ 1% on Basic Value. For Drum Requirements kindly mentioned in your inquiry. Drum of 500/1000 MTRs.								
25	196/0.4	---	195072	259272									
35	276/0.4	---	272435	362200									
50	396/0.4	---	389381	517812									
70	354/0.5	---	544077	730919									
95	484/0.5	---	---	966830									
120	608/0.5	---	---	---									
150	750/0.5	---	---	---									
185	925/0.5	---	---	---									
240	1210/0.5	---	---	---									
300	1527/0.5	---	---	---									

1100V Multistrand PVC Insulated & Sheathed with Bare Conductor Flexible Cables, Conforms to IS:694-2010 (100 MTR Coil Rate)
**HFFR
(ZHFR)**

SQMM	NO./DIA MM	2C	3C	4C	5C	6C	7C	10C	12C	14C	16C	19C	24C
0.50	16/0.2	4635	5974	7509	9800	11711	12751	19405	22670	26018	29221	33640	43342
0.75	24/0.2	6138	8086	10310	13483	15903	17510	26409	30962	24318	40170	46484	59833
1.00	32/0.2	7395	9929	12731	16295	19951	22135	33238	38996	44960	50810	58998	75849
1.50	30/0.25	10043	13699	17675	22866	27542	30807	45959	54096	62449	70740	82472	105915
2.50	50/0.25	16192	22258	28809	36277	43734	49183	73109	86160	99632	113135	132334	169929
4	56/0.3	25420	35339	45999	56918	69082	78023	115463	136218	157600	179179	210687	270375
6	84/0.3	36627	51438	67537	84481	---	---	---	---	---	---	---	---
10	80/0.4	60780	85964	113032	142325	---	---	---	---	---	---	---	---
16	126/0.4	92793	132242	174204	Note: - All Cables are readily available in 100 MTR Coil. - Cut Length Charges will be extra @ 1% on Basic Value. For Drum Requirements kindly mentioned in your inquiry. Drum of 500/1000 MTRs.								
25	196/0.4	---	201293	267079									
35	276/0.4	---	280510	372417									
50	396/0.4	---	400310	531707									
70	354/0.5	---	563904	749377									
95	484/0.5	---	---	992395									
120	608/0.5	---	---	---									
150	750/0.5	---	---	---									
185	925/0.5	---	---	---									
240	1210/0.5	---	---	---									
300	1527/0.5	---	---	---									

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI - WIRES & CABLES"
TERMS : (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S

HOUSE WIRES (Dated 3RD July 2025)

1100V, PVC Insulated Industrial Single Core Unsheathed Industrial Multistrand Cables with FR / FRLSH / HFFR (ZHFR) Properties with Flexible Bright Annealed Bare Copper Conductor, Conforming to IS-694:2010 / IS 7048

SQMM	No. & Size of Wire in MM	AMPS	Std. Coil Packing	No. of Coils	HOMECAB		CONFLAME		BANFIRE	
					FR		FRLSH		ZHFR / HFFR	
					Rate Per Coil	Rate Per MTR	Rate Per Coil	Rate Per MTR	Rate Per Coil	Rate Per MTR
0.50	16/0.20	4	300 MTR	12	3960	13.20	4240	14.13	---	---
0.75	24/0.20	7		8	5480	18.27	5880	19.60	6000	20.00
1.00	32/0.20	11		6	7220	24.07	7700	25.67	7870	26.23
1.50	30/0.25	14		4	10930	36.43	11510	38.37	11700	39.00
2.50	50/0.25	19	200 MTR	3	17740	59.13	18630	62.10	18890	62.97
4.00	56/0.30	26		3	17560	87.80	18340	91.70	18550	92.75
6.00	84/0.30	31		2	26830	134.15	27920	139.60	28170	140.85

CO-AXIAL & COMMUNICATION CABLES (Dated 3RD July 2025)
JELLY FILLED CO-AXIAL CABLES

Polyethylene Foam Insulation with laminated aluminium tape and aluminium wire braid, Jelly Filled Black PVC Over sheathed Co-Axial Cables.

SIZE	100 MTR Packing	305 MTR Packing
RG - 59	2595	7915
RG - 6 CU	3615	11026
RG - 6 CCS	2280	6954
RG - 11 CU	8250	25163
RG - 11 CCS	4700	14335

LAN (COMPUTER) & CCTV (3+1 & 4+1) CABLES
4 Pair Unshielded Twisted Pair (UTP) LAN Cables

SIZE	100 MTR Packing	305 MTR Packing
CAT - 6, 4 Pair UTP LAN	---	15620

CCTV Cables

CCTV (3+1) with RG-59	5135	---
CCTV (4+1) with RG-59	5630	---
CCTV (3+1)	3390	---
CCTV (4+1)	3805	---

TELEPHONE CABLES

Solid high conductivity copper telephone (switchboard) cables with high density polyethylene insulation, paired, polyester and sheathed with Grey coloured PVC compound telephone cables generally conforming to ITD specifications.

No. of Pairs	Size (MM)	100 MTR Packing	Size (MM)	100 MTR Packing
1 Pair	0.40	935	0.50	1330
2 Pair	0.40	1645	0.50	2345
3 Pair	0.40	2430	0.50	3475
4 Pair	0.40	3120	0.50	4565
5 Pair	0.40	3830	0.50	5695
10 Pair	0.40	7720	0.50	11050

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI - WIRES & CABLES"

TERMS : (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S



JP CORPORATION

Plot No. TS-6/1, Jai Estate, MIDC PH-I, Dombivli (E) 421201 (M.S.)
M: (91) 9987554158 | E: sales@jpcorporation.co.in | www.jpcorporation.co.in



3 CORE FLAT SUBMERSIBLE CABLES (Dated 3RD July 2025)

Flexible PVC Insulated Multicore FR PVC Sheathed Multistrand Cables with Bright Annealed Electrolytic Bare Copper Conductor For Voltage Grade Up To 1100V, Conforming to IS-694:2010

SIZE (SQMM)	No. / Dia in MM	Rate Per 100 MTR Coil
1.50	30/0.25	12370
2.50	50/0.25	19130
4	56/0.30	28450
6	84/0.30	42340
10	80/0.40	71300
16	126/0.40	112710
25	196/0.40	169360
35	276/0.40	263890

Notes:

- 3 Core Flat Submersible Cables PVC Insulated & Sheathed with XLPE can be supplied at the same rates as PVC Insulated cables.
- Cables up to 4 SQMM are supplied in 300 MTR Coils & 500 MTR / 1000 MTR Drums.
- Cables from 6 SQMM to 25 SQMM are supplied in 500 MTR Drums.

Working

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI – WIRES & CABLES"

TERMS: (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S



JP CORPORATION

Plot No. TS-6/1, Jai Estate, MIDC PH-I, Dombivli (E) 421201 (M.S.)
M: (91) 9987554158 | E: sales@jpcorporation.co.in | www.jpcorporation.co.in



INSTRUMENTATION CABLES PRICE LIST (JUN 2025)

OVERALL SHIELDED – ARMoured INSTRUMENTATION CABLES

500V Stranded/Solid Plain Copper, PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Aluminium Mylar/Drain Wire, PVC Inner Sheathed GI Round/Strip Armoured & Outer Sheathed Instrumentation Cable.

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
CORE	2	0.5	145	0.75	169	1.0	188	1.5	225	2.5	308
CORE	3	0.5	173	0.75	210	1.0	237	1.5	294	2.5	407
CORE	4	0.5	195	0.75	234	1.0	275	1.5	343	2.5	493
CORE	5	0.5	217	0.75	271	1.0	319	1.5	407	2.5	591
CORE	6	0.5	246	0.75	308	1.0	370	1.5	473	2.5	712
CORE	7	0.5	267	0.75	340	1.0	411	1.5	535	2.5	801
CORE	8	0.5	298	0.75	380	1.0	458	1.5	604	2.5	901
CORE	10	0.5	346	0.75	452	1.0	555	1.5	733	2.5	1117
CORE	12	0.5	388	0.75	514	1.0	628	1.5	844	2.5	1259
CORE	14	0.5	447	0.75	575	1.0	720	1.5	992	2.5	1488
CORE	16	0.5	491	0.75	648	1.0	807	1.5	1098	2.5	1678
CORE	19	0.5	552	0.75	732	1.0	929	1.5	1256	2.5	1970
CORE	24	0.5	667	0.75	921	1.0	1128	1.5	1554	2.5	2474

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
PAIR	1	0.5	145	0.75	169	1.0	189	1.5	225	2.5	308
PAIR	2	0.5	212	0.75	254	1.0	294	1.5	365	2.5	522
PAIR	3	0.5	254	0.75	319	1.0	380	1.5	485	2.5	721
PAIR	4	0.5	305	0.75	387	1.0	468	1.5	610	2.5	916
PAIR	5	0.5	355	0.75	459	1.0	562	1.5	745	2.5	1133
PAIR	6	0.5	410	0.75	535	1.0	651	1.5	868	2.5	1322
PAIR	7	0.5	450	0.75	586	1.0	731	1.5	1003	2.5	1507
PAIR	8	0.5	504	0.75	670	1.0	826	1.5	1112	2.5	1707
PAIR	10	0.5	604	0.75	795	1.0	997	1.5	1357	2.5	2082
PAIR	12	0.5	684	0.75	929	1.0	1173	1.5	1588	2.5	2481
PAIR	14	0.5	752	0.75	1042	1.0	1316	1.5	1835	2.5	2826
PAIR	16	0.5	858	0.75	1147	1.0	1487	1.5	2050	2.5	3208
PAIR	19	0.5	975	0.75	1358	1.0	1732	1.5	2397	2.5	3762
PAIR	24	0.5	1219	0.75	1706	1.0	2157	1.5	3012	2.5	4728

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
TRIAD	1	0.5	176	0.75	212	1.0	239	1.5	297	2.5	410
TRIAD	2	0.5	324	0.75	364	1.0	403	1.5	520	2.5	752
TRIAD	3	0.5	364	0.75	457	1.0	522	1.5	685	2.5	1014
TRIAD	4	0.5	437	0.75	561	1.0	653	1.5	861	2.5	1278
TRIAD	5	0.5	505	0.75	672	1.0	782	1.5	1055	2.5	1570
TRIAD	6	0.5	583	0.75	777	1.0	917	1.5	1217	2.5	1844
TRIAD	7	0.5	645	0.75	861	1.0	1023	1.5	1372	2.5	2101
TRIAD	8	0.5	726	0.75	946	1.0	1145	1.5	1555	2.5	2397
TRIAD	10	0.5	860	0.75	1173	1.0	1393	1.5	1915	2.5	2955
TRIAD	12	0.5	979	0.75	1348	1.0	1632	1.5	2236	2.5	3497
TRIAD	14	0.5	1112	0.75	1540	1.0	1865	1.5	2571	2.5	4027
TRIAD	16	0.5	1233	0.75	1716	1.0	2097	1.5	2913	2.5	4566
TRIAD	19	0.5	1422	0.75	1995	1.0	2441	1.5	3402	2.5	5354
TRIAD	24	0.5	1761	0.75	2497	1.0	3051	1.5	4285	2.5	6736

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI – WIRES & CABLES"

TERMS : (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S



JP CORPORATION

Plot No. TS-6/1, Jai Estate, MIDC PH-I, Dombivli (E) 421201 (M.S.)
M: (91) 9987554158 | E: sales@jpcorporation.co.in | www.jpcorporation.co.in



OVERALL SHIELDED – UNARMoured INSTRUMENTATION CABLES

500V Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Aluminium Mylar/Drain Wire, Unarmoured PVC Outer Sheathed Instrumentation Cable.

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
PAIR	1	0.5	92	0.75	109	1.0	131	1.5	155	2.5	215
PAIR	2	0.5	144	0.75	177	1.0	215	1.5	301	2.5	411
PAIR	3	0.5	187	0.75	240	1.0	301	1.5	391	2.5	586
PAIR	4	0.5	215	0.75	301	1.0	391	1.5	496	2.5	760
PAIR	5	0.5	288	0.75	371	1.0	545	1.5	606	2.5	934
PAIR	6	0.5	321	0.75	411	1.0	586	1.5	739	2.5	1102
PAIR	7	0.5	350	0.75	473	1.0	606	1.5	821	2.5	1277
PAIR	8	0.5	391	0.75	522	1.0	715	1.5	934	2.5	1453
PAIR	10	0.5	473	0.75	674	1.0	867	1.5	1172	2.5	1817
PAIR	12	0.5	568	0.75	774	1.0	1020	1.5	1387	2.5	2139
PAIR	14	0.5	627	0.75	892	1.0	1172	1.5	1580	2.5	2465
PAIR	16	0.5	739	0.75	995	1.0	1343	1.5	1817	2.5	2815
PAIR	19	0.5	845	0.75	1188	1.0	1558	1.5	2121	2.5	3307
PAIR	24	0.5	1040	0.75	1473	1.0	1944	1.5	2665	2.5	4195

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
TRIAD	1	0.5	121	0.75	136	1.0	173	1.5	212	2.5	310
TRIAD	2	0.5	199	0.75	244	1.0	303	1.5	392	2.5	580
TRIAD	3	0.5	261	0.75	325	1.0	412	1.5	545	2.5	822
TRIAD	4	0.5	329	0.75	410	1.0	528	1.5	695	2.5	1075
TRIAD	5	0.5	395	0.75	494	1.0	647	1.5	857	2.5	1335
TRIAD	6	0.5	461	0.75	586	1.0	762	1.5	1020	2.5	1582
TRIAD	7	0.5	522	0.75	661	1.0	869	1.5	1166	2.5	1819
TRIAD	8	0.5	593	0.75	757	1.0	990	1.5	1343	2.5	2074
TRIAD	10	0.5	723	0.75	931	1.0	1236	1.5	1662	2.5	2581
TRIAD	12	0.5	845	0.75	1102	1.0	1454	1.5	1964	2.5	3060
TRIAD	14	0.5	964	0.75	1270	1.0	1677	1.5	2266	2.5	3542
TRIAD	16	0.5	1105	0.75	1436	1.0	1903	1.5	2581	2.5	4048
TRIAD	19	0.5	1290	0.75	1679	1.0	2232	1.5	3028	2.5	4774
TRIAD	24	0.5	1611	0.75	2148	1.0	2801	1.5	3836	2.5	6011

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI – WIRES & CABLES"

TERMS : (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S



JP CORPORATION

Plot No. TS-6/1, Jai Estate, MIDC PH-I, Dombivli (E) 421201 (M.S.)
M: (91) 9987554158 | E: sales@jpcorporation.co.in | www.jpcorporation.co.in



INDIVIDUAL & OVERALL SHIELDED – ARMoured INSTRUMENTATION CABLES

500V Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Aluminium Mylar/Drain Wire, PVC Inner Sheathed, GI Steel Wire Round / Strip Armoured PVC Outer Sheathed Instrumentation Cables.

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
PAIR	2	0.5	289	0.75	324	1.0	368	1.5	448	2.5	619
PAIR	3	0.5	371	0.75	414	1.0	487	1.5	598	2.5	843
PAIR	4	0.5	445	0.75	509	1.0	592	1.5	750	2.5	1039
PAIR	5	0.5	524	0.75	603	1.0	714	1.5	879	2.5	1268
PAIR	6	0.5	579	0.75	699	1.0	802	1.5	1030	2.5	1477
PAIR	7	0.5	661	0.75	774	1.0	922	1.5	1165	2.5	1680
PAIR	8	0.5	752	0.75	855	1.0	1032	1.5	1320	2.5	1916
PAIR	10	0.5	887	0.75	1043	1.0	1257	1.5	1614	2.5	2350
PAIR	12	0.5	991	0.75	1214	1.0	1451	1.5	1903	2.5	2689
PAIR	14	0.5	1146	0.75	1366	1.0	1666	1.5	2151	2.5	3181
PAIR	16	0.5	1292	0.75	1536	1.0	1867	1.5	2426	2.5	3599
PAIR	19	0.5	1475	0.75	1767	1.0	2160	1.5	2833	2.5	4209
PAIR	24	0.5	1834	0.75	2221	1.0	2715	1.5	3573	2.5	5203

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
TRIAD	2	0.5	357	0.75	411	1.0	466	1.5	579	2.5	799
TRIAD	3	0.5	445	0.75	524	1.0	607	1.5	769	2.5	1090
TRIAD	4	0.5	543	0.75	651	1.0	754	1.5	946	2.5	1383
TRIAD	5	0.5	643	0.75	777	1.0	913	1.5	1164	2.5	1715
TRIAD	6	0.5	743	0.75	887	1.0	1046	1.5	1363	2.5	2014
TRIAD	7	0.5	821	0.75	990	1.0	1174	1.5	1543	2.5	2289
TRIAD	8	0.5	917	0.75	1138	1.0	1335	1.5	1761	2.5	2611
TRIAD	10	0.5	1104	0.75	1376	1.0	1635	1.5	2161	2.5	3245
TRIAD	12	0.5	1278	0.75	1595	1.0	1909	1.5	2525	2.5	3803
TRIAD	14	0.5	1437	0.75	1815	1.0	2192	1.5	2914	2.5	4383
TRIAD	16	0.5	1617	0.75	2047	1.0	2461	1.5	3295	2.5	4973
TRIAD	19	0.5	1874	0.75	2378	1.0	2888	1.5	3875	2.5	5826
TRIAD	24	0.5	2350	0.75	2992	1.0	3640	1.5	4841	2.5	7375

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI – WIRES & CABLES"

TERMS : (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S



JP CORPORATION

Plot No. TS-6/1, Jai Estate, MIDC PH-I, Dombivli (E) 421201 (M.S.)
M: (91) 9987554158 | E: sales@jpcorporation.co.in | www.jpcorporation.co.in



INDIVIDUAL & OVERALL SHIELDED – UNARMoured INSTRUMENTATION CABLES

500V Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Aluminium Mylar/Drain Wire
Unarmoured PVC Outer Sheathed Instrumentation Cable.

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
PAIR	2	0.5	187	0.75	215	1.0	265	1.5	321	2.5	455
PAIR	3	0.5	240	0.75	301	1.0	371	1.5	455	2.5	651
PAIR	4	0.5	301	0.75	371	1.0	455	1.5	586	2.5	845
PAIR	5	0.5	371	0.75	455	1.0	568	1.5	715	2.5	1040
PAIR	6	0.5	436	0.75	545	1.0	674	1.5	845	2.5	1236
PAIR	7	0.5	496	0.75	606	1.0	760	1.5	954	2.5	1408
PAIR	8	0.5	568	0.75	691	1.0	867	1.5	1102	2.5	1622
PAIR	10	0.5	691	0.75	867	1.0	1082	1.5	1365	2.5	1989
PAIR	12	0.5	804	0.75	1020	1.0	1258	1.5	1597	2.5	2380
PAIR	14	0.5	954	0.75	1172	1.0	1473	1.5	1860	2.5	2748
PAIR	16	0.5	1063	0.75	1323	1.0	1650	1.5	2121	2.5	3136
PAIR	19	0.5	1236	0.75	1558	1.0	1944	1.5	2488	2.5	3701
PAIR	24	0.5	1552	0.75	1944	1.0	2446	1.5	3136	2.5	4655

Type	No.	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR	Size	Rate/MTR
TRIAD	2	0.5	254	0.75	290	1.0	353	1.5	444	2.5	641
TRIAD	3	0.5	341	0.75	350	1.0	488	1.5	615	2.5	905
TRIAD	4	0.5	434	0.75	507	1.0	627	1.5	802	2.5	1188
TRIAD	5	0.5	522	0.75	612	1.0	762	1.5	976	2.5	1460
TRIAD	6	0.5	606	0.75	722	1.0	903	1.5	1174	2.5	1735
TRIAD	7	0.5	688	0.75	821	1.0	1034	1.5	1343	2.5	1993
TRIAD	8	0.5	782	0.75	951	1.0	1188	1.5	1532	2.5	2275
TRIAD	10	0.5	976	0.75	1168	1.0	1467	1.5	1896	2.5	2846
TRIAD	12	0.5	1147	0.75	1373	1.0	1728	1.5	2239	2.5	3378
TRIAD	14	0.5	1315	0.75	1580	1.0	1993	1.5	2588	2.5	3910
TRIAD	16	0.5	1481	0.75	1791	1.0	2264	1.5	2942	2.5	4648
TRIAD	19	0.5	1735	0.75	2098	1.0	2659	1.5	3481	2.5	5202
TRIAD	24	0.5	2173	0.75	2655	1.0	3364	1.5	4379	2.5	6587

AUTHORIZED DEALER, STOCKIST & SUPPLIER OF "KEI – WIRES & CABLES"

TERMS : (1) ALL TAXES EXTRA AS APPLICABLE (2) RATES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE (3) THIS CANCELS ALL OUR PREVIOUS LP'S